

# CSS Styles

The CSS properties for tables and cells is increased over that in html2fpdf. It includes recognition of THEAD, TFOOT and TH.

See below for other facilities such as autosizing, and rotation.

Row 1	This is data	This is data
Row 2	This is data p This is data out of p <b>This is bold data p</b> This is bold data out of p This is normal data after br <b>H3 in a table</b> This is data div This is data out of div <b>This is data div (bold)</b> This is data out of div	More data This is large text
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

This table has padding-left and -right set to 5mm i.e. padding within the cells. Also border colour and style, font family and size are set by **css**.

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

This table has padding-top and -bottom set to 3mm i.e. padding within the cells. Also background-, border colour and style, font family and size are set by in-line **css**.

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data

# Table Styles

The style sheet used for these examples shows some of the table styles I use on my website. The property 'topntail' defined by a border-type definition e.g. "1px solid #880000" puts a border at the top and bottom of the table, and also below a header row (thead) if defined. Note also that <thead> will automatically turn on the header-repeat i.e. reproduce the header row at the top of each page.

## bpmTopic Class

Row 1	This is data	This is data
Row 2	This is data p	More data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

## bpmTopicC Class (centered) Odd and Even rows

Col/Row Header	Second column header p	Third column header
Row header 1	This is data	This is data
Row header 2	This is data p	This is data
Row header 3	This is long data	This is data
Row header 4 <th> cell acting as header	This is data	This is data
Row header 5	Also data	Also data
Row header 6	Also data	Also data
Row header 7	Also data	Also data
Row header 8	Also data	Also data

## bpmTopnTail Class

Row 1	This is data	This is data
Row 2	This is data p	This is data
Row 3	This is long data	This is data
Row 4 <td> cell	This is data	This is data
Row 5	Also data	Also data
Row 6	Also data	Also data
Row 7	Also data	Also data
Row 8	Also data	Also data

## bpmTopnTailC Class (centered) Odd and Even rows

Col/Row Header	Second column header p	Third column header
Row header 1	This is data	This is data
Row header 2	This is data p	This is data
Row header 3	This is long data	This is data

Col/Row Header	Second column header p	Third column header
Row header 4 <th> cell acting as header	This is data	This is data
Row header 5	Also data	Also data
Row header 6	Also data	Also data
Row header 7	Also data	Also data
Row header 8	Also data	Also data

## TopnTail Class

Col and Row Header	Second column	Top right align
Row header 1 p	This is data	This is data
Row header 2	<b>Bottom right align</b>	This is data. Can use <b>bold italic<sub>sub</sub> or<sup>sup</sup> text</b>
Bottom right align	This is data. This cell uses Cell Styles to set the borders. All borders are collapsible in mPDF.	This is data
Row header 4	This is data p	More data
Row header 5	Also data merged and centered	

## LISTS IN A TABLE

Col and Row Header	Second column	Top right align
Row header 1 p	This is data	This is data
Row header 2	<ol style="list-style-type: none"> <li>1. Item 1</li> <li>2. Item 2               <ol style="list-style-type: none"> <li>1. Subitem of ordered list</li> <li>2. Subitem 2                   <ol style="list-style-type: none"> <li>1. Level 3 subitem</li> <li>2. Level 3 subitem</li> </ol> </li> </ol> </li> <li>3. Item 3</li> <li>4. Another Item</li> <li>5. Subitem               <ol style="list-style-type: none"> <li>1. Level 3 subitem</li> </ol> </li> <li>6. Another Item</li> </ol>	Unordered list: - Item 1 - Item 2 - Subitem of unordered list - Subitem 2 - Level 3 subitem - Level 3 subitem - Level 3 subitem - Item 3

## AUTOMATIC COLUMN WIDTH

Causes	Nulla felis erat, imperdiet eu, ullamcorper non, nonummy quis, elit. Ut a eros at ligula vehicula pretium; maecenas feugiat pede vel risus. Suspendisse potenti
Mechanisms	Ut magna ipsum, tempus in, condimentum at, rutrum et, nisl. Vestibulum interdum luctus sapien. Quisque viverra. Etiam id libero at magna pellentesque aliquet. Nulla sit amet ipsum id enim tempus dictum. Maecenas consetetur eros quis massa. Mauris semper velit vehicula purus. Duis lacus. Aenean pretium consetetur mauris. Ut purus sem, consequat ut, fermentum sit amet, ornare sit amet, ipsum. Donec non nunc. Maecenas fringilla. Curabitur libero. In dui massa, malesuada sit amet, hendrerit vitae, viverra nec, tortor. Donec varius. Ut ut dolor et tellus adipiscing adipiscing.



Col and Row Header	Second column header	Third column header
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Another Row header	Also data	Also data
Col and Row Footer	Second column footer	Third column footer

## Autosizing Tables

Periodic Table of elements. Tables are set by default to reduce font size if complete words will not fit inside each cell, to a maximum of  $1/1.4 * \text{the set font-size}$ . This value can be changed by setting `$mpdf->shrink_tables_to_fit=1.8` or using html attribute `<table autosize="1.8">`.

### *Periodic Table*

1A	2A	3B	4B	5B	6B	7B	8B	8B	8B	1B	2B	3A	4A	5A	6A	7A	8A
H																	He
Li	Be											B	C	N	O	F	Ne
Na	Mg											Al	Si	P	S	Cl	Ar
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
Fr	Ra	Ac															
			Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	
			Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr	



# Rotated text in Table Cells

## Periodic Table

	Element type 1A Second line		Element type longer 2A		Element type 3B		Element type 4B		Element type 5B		Element type 6B		7B	8B	Element type 8B R		Element type 1B		Element type 3A		Element type 4A		Element type 5A		Element type 6A		Element type 8A	
H																												He
Li	Be																	B	C	N	O	F					Ne	
Na	Mg																	Al	Si	P	S	Cl					Ar	
K	Ca	Sc	Ti	Va	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr											
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe											
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn											
Fr	Ra	Ac																										
			Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu												
			Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr												